AMBU BLUESENSOR ECG ELECTRODES

| 4 mm | Tab or snap | GIMA code | AMBU code | Description | Application | Gel type | Backing material | Size (mm) | Shape | Shelf life* (month) | Radiolucent | Connector type | Minimum order | Packaging |
|------|----------------|-------------------------|--|---------------|-------------|-------------|---------------------|--------------|-------------------|---------------------------|-------------|---------------------|---------------------------------------|---|
| Ţ | 1 | 33200 33201 | SU-00-A/60 SU-00-C/100 | BlueSensor SU | Resting | Wet | Polymer | 49x33 | Teardrop | 24 | No | 4 mm TAB | | 20 pouches of 60 12 pouches of 100 |
| | | 33203 | L-00-S/25 | BlueSensor L | Long-term | Wet | Microporous | 68.2x55 | Round w/offset | 24 | No | Snap | box of 500 | 20 pouches of 25 |
| | | 33204 33205 33206 | VL-00-S/25 VL-00-S/25 VL-00-A/25 | BlueSensor VL | Long-term | Wet | Microporous | 72x68 | Round w/offset | 24 | No | Snap Snap 4mm | box of 25 box of 500 box of 500 | 1 pouch of 25 20 pouches of 25 20 pouches of 25 |
| • | | 33208 33209 | R-00-A/25 R-00-S/25 | BlueSensor R | Stress test | Wet | Foam | 57x48 | Round w/offset | 24 | No | 4mm Snap | box of 500 box of 500 | 20 pouches of 25 20 pouches of 25 |
| | | 33211 33212 | M-00-A/50 M-00-S/50 | BlueSensor M | Short-term | Wet | Polymer | 40.8x34 | Round w/offset | 15 | No | 4mm Snap | | 20 pouches of 50 20 pouches of 50 |

BlueSensor electrodes give a fast and reliable

maximizing comfort for the patient. We know

that fast, exact monitoring that ensures a clear

picture of the patients' heartbeat is essential

trace without the need for skin preparation,

Shelf life means maximum life from production date. Average Gima shelf life is 50 to 90% of maximum life Exact monitoring - clear picture

AMBU[®] BlueSensor

BlueSensor is the world's most time and cost efficient range of electrodes that delivers unmatched readings, user convenience and patient comfort. BlueSensor ensures that you don't get your workflow disrupted by false alarms or have to waste time resolving problems with electrode adhesion.

AMBU[®] BLUESENSOR SU

- hiahlv conductive wet ael
- superior quick adhesion
- unique offset connector
- fitting or tab
- occlusive backing material - high quality Ag/AgCl sensor
- AMBU[®] BLUESENSOR L - highly conductive wet gel

- unique offset connector

- high quality Ag/AgCl sensor

- combination of instant and
- long-term adhesives
- long-term adhesives - breathable microporous material
 - breathable microporous material - unique offset connector
 - high quality Ag/AgCl sensor

to accurate diagnoses.

AMBU[®] BLUESENSOR VL

- highly conductive wet gel

- combination of instant and

- AMBU[®] BLUESENSOR R - highly conductive wet gel
- superior adhesion
- comfortable foam backing
- large measuring area
- unique offset connector
- high quality Ag/AgCl sensor

Amh

AMBU WHITESENSOR ECG ELECTRODES

| | | GIMA code | AMBU code | Description | Application | Gel type | Backing material | Size (mm) | Shape | Shelf life [*] (month) | Radiolucent | Connector type | Minimum order | Packaging |
|--|---|--------------|--------------|---------------------------|---------------------------|-------------|---------------------|--------------|-------------|---------------------------------------|-------------|-------------------|------------------|-------------------|
| | • | 53900 | 4540 | WhiteSensor 4540 | Resting | Wet | Foam | 32x44 | Rectangular | 24 | Yes | 4 mm | box of 300 | 5 pouches of 60 |
| | | 53902 | 4200 | WhiteSensor 4200 | Short-term | Solid | Foam | 28x44 | Rectangular | 30 | No | Snap | box of 1200 | 12 pouches of 100 |
| | • | 53904 | WS-00-S/50 | WhiteSensor WS-00-S/50 | Short-term | Solid | Foam | 36x40 | Teardrop | 30 | No | Snap | box of 600 | 12 pouches of 50 |
| | | 53906 | 0315M | WhiteSensor 0315M | Short-term | Solid | Polymer | 35x21 | Tab | 24 | Yes | Tab | box of 500 | 10 pouches of 100 |
| | • | 53910 | 4500M-H | WhiteSensor 4500M-H | Stress-test Short-term | Wet | Foam | 50x48 | Round | 24 | No | Snap | box of 300 | 5 pouches of 60 |
| | | 53912 | 4500M | WhiteSensor 4500M | Stress-test Short-term | Wet | Foam | 50x48 | Round | 24 | Yes | Snap | box of 300 | 10 pouches of 30 |

*Shelf life means maximum life from production date. Average Gima shelf life is 50 to 90% of maximum life Carefully selected features to match each

AMBU[®] WhiteSensor

WhiteSensor electrodes combine versatility with guality and functionality. The wide range of sizes, shapes, gel types and

backing materials makes it easy to choose the optimal device for every situation. AMBU[®] WHITESENSOR 4540

Highly conductive wet gel system which guarantees a fast and accurate trace during 12-lead ECG procedures. Thanks to the strong high-tack adhesive foam, time wasted due to electrode drop-off will be reduced. The radiolucent 4 mm slot connector allows the patient to undergo X-ray and scanner procedures. 5 pieces per card.

AMBU[®] WHITESENSOR 4200 Conductive solid gel to ensure a good signal quality during shortterm ECG monitoring applications. Thanks to the flexible foam backing material, the electrode ensures ease of use and comfort during application.

and signal quality. AMBU[®] WHITESENSOR WS-00-S/50

Highly conductive solid gel with strong adhesion to ensure a good signal quality during short-term ECG monitoring applications. Thanks to the flexible foam backing material, the electrode ensures ease of use and comfort during application.

individual situation, covering all patient needs in monitoring. Flexible and reliable materials

and adhesives, able to follow skin movements

without lifting off, allow both patient comfort

AMBU[®] WHITESENSOR 4500М-Н, 4500М

It features a wet gel with good adhesion to ensure a good signal quality during shortterm ECG monitoring applications. Thanks to the flexible foam backing material, the electrode ensures ease of use and comfort during application.



AMBU[®] WHITESENSOR 0315M Small size tab electrode with solid gel for 12-lead ECG. The fish tail tab design prevents electrode lift-offs even if the adapter kinks. 10 pieces per card.

- highly conductive wet gel - superior adhesion - occlusive backing material - unique offset connector - high quality Ag/AgCl sensor



Ambu^{*}