### GIMA LED PODOSCOPE with polarized light



27363 GIMA LED PODOSCOPE

MADE IN ITALY

The GIMA Podoscope with polarized light allows operators to observe the foot plant highlighting the points with the heaviest pressure. The patient stands on the methacrylate platform, an excellent light conductor, provided with an inner light source to detect variations of colour intensity on the foot plant, corresponding to higher or lower plant charge.

# POSTURAL ANALYSER



• 27387 POSTURAL ANALYSER Device for analysing posture in the frontal, rear and lateral planes. The

patient stands with feet in the positions indicated on the platform. It includes a platform, elastic grid, two aluminum side bars, measuring indicators with plumb line for postural reference (Barré's vertical evaluation) and adjustable mirror on top. The image reflected in this upper mirror allows observation of any rotation of the shoulders. Manual: GB, IT. On request ES.

Supplied with a set of three horizontal and two vertical elastics that are respectively adjustable in height and width by sliding. These elastics can be used as reference lines in the observation of the patient's upright posture and in the search for asymmetries and deviations.

PLUMBING WEIGHT • 27355 PLUMBING WEIGHT Made of stainless steel (magnet) with wire length 150 cm.

Size: 6.2x2.3 cm. Weight: 140 g.





### Highly resistant, easy maintenance

The GIMA Podoscope with polarized light has been designed for a long lasting duration. High-quality material and components, serial assembly and control checks constantly performed during production and at final test, provide superior accuracy. Its structure is resilient and can bear charges up to 135 kgs - 297 lbs. Its green-light LED has a life of 25,000 hours (duration indicated by the manufacturer).

### Easy to use, light and practical

The GIMA podoscope becomes operative at once simply switching it on. Just after the patient has stepped on it, in real time you can proceed with the study. The device is meant to be practical and easy to use. Since methacrylate is light and resistant at the same time, the device can be comfortably moved from a place to another, also thanks to its limited dimensions. The step is low: 22 cm from ground level, so that even elderly patients can easily step on it.

**TECHNICAL SPECIFICATIONS** 

Capacity: 135 kg - 297 lbs Dimensions: 43.5x42.5xh 22 cm - 17.12x16.75x8.67 inches Weight: 8 kg - 17.63 lbs

Operating voltage: 220 V-50/60 Hz - Schuko plug (British plug available on request)

Green light LED stripe with 25,000 hours of life



 27353 LED PODOSCOPE Device for the plantar analysis of the feet. It has a lacquered wooden structure and a crystal top with an inclined mirror below it for a real view of the sole of the feet, which highlights the points of greatest and least load. Double lateral illumination with high level effect lamps. Max Load 200 kg. Strong reliable and professional product. MADE IN ITALY

MADE IN ITALY

# **SCOLIOMETER**

• 27351 SCOLIOMETER

Plastic instrument that supports the initial scoliosis detection (deviation of the spinal column on the lateral, left and right planes) followed by examination of a specialist. It allows to compare the evolution of the pathological process detected by a specialist. The small sphere oscillating within an air space indicates the spine inclination

degree, compared to the horizontal plane. The measured values are approximate and not enough for a complete diagnosis.



Used by orthopaedic surgeons to measure the range of movement of joints: elbows, knees and fingers.

#### • 27340 GONIOMETER - 205x45 mm

With circular scale used to check the size of hip joints and the angle of the femoral neck on X-rays.

- Personalisation with your logo for minimum 1,000 pcs.
- 27339 GONIOMETER WITH PAIN SCALE RULER 203x45x7 mm

