

Konformitätserklärung *Declaration of Conformity*

Wir / We,

Aesculap AG
Am Aesculap-Platz
78532 Tuttlingen
GERMANY

SRN: DE-MF-000005504

erklären in alleiniger Verantwortung, dass die folgenden Artikel mit den Anforderungen der
Medizinprodukte-Verordnung (EU) 2017/745 übereinstimmen.
*declare under our sole responsibility that the following products are in conformity with the requirements of
the **Medical Device Regulation (EU) 2017/745**.*

Siehe angehängte Artikelliste / *See attached product list*

Die **Risikoklasse** nach Anhang VIII ist **angehängter Liste** zu entnehmen.
Für die genannten Artikel wurde ein **Konformitätsbewertungsverfahren** nach
Anhang IX, Kapitel I und III durchgeführt.

*The **risk class** according to Annex VIII is mentioned in **attached list**.*
*For the attached products a **conformity assessment procedure** has been carried out according to
Annex IX, Chapter I and III.*

Benannte Stelle / Notified Body: TÜV SÜD Product Service GmbH, Ridlerstraße 65, 80339 München,
Germany, Kennnummer / Identification number: 0123

EU Quality Management System Certificate (MDR) – Pursuant to Regulation (EU) 2017/745 on Medical
Devices, Annex IX Chapters I and III; No. G11 010066 0437

Gültig bis / *Valid until*:
21.10.2025

Tuttlingen, Germany

i.V.

i.V.

Martin Schäuble
Vice President R&D

Matthias Welke
Director Global Regulatory Affairs

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-
Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*
SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 1 von/of 18, Gültig ab/Valid since 2022-11-25
GRA,hermdede

Konformitätserklärung *Declaration of Conformity*

Zweckbestimmung <i>Intended Use</i>	Instruments used for holding of sutures/ligatures.
Basic-UDI-DI:	40392390000004782Q

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
BJ002R	SUTURE FORCEPSSTRSMTH95MM	I

Zweckbestimmung <i>Intended Use</i>	Bulldog clamps are used for temporary occlusion of blood vessels.
Basic-UDI-DI:	40392390000004552C

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
BH011R	JOHNS-HOPKINS BULLDOG CLAMP CVD.38MM	I
BH012R	JOHNS-HOPKINS BULLDOG CLAMP CVD.48MM	I
BH013R	JOHNS-HOPKINS BULLDOG CLAMP CVD.56MM	I
BH014R	JOHNS-HOPKINS BULLDOG CLAMP CVD.63MM	I
BH015R	JOHNS-HOPKINS BULLDOG CLAMP CVD.70MM	I
BH016R	JOHNS-HOPKINS BULLDOG CLAMP CVD.80MM	I
BH017R	JOHNS-HOPKINS BULLDOG CLAMP CVD.91MM	I
BH018R	JOHNS-HOPKINS APPLY/REMOVE FCPS 240MM	I
BH020R	DIEFFENBACH BULLDOG CLAMP STR 38MM	I
BH021R	DIEFFENBACH BULLDOG CLAMP CVD 38MM	I
BH022R	DIEFFENBACH BULLDOG CLAMP STR 48MM	I
BH023R	DIEFFENBACH BULLDOG CLAMP CVD 48MM	I
BH026R	DIEFFENBACH BULLDOG CLAMP STR 58MM	I
BH027R	DIEFFENBACH BULLDOG CLAMP CVD 58MM	I
BH030R	BULLDOGCLAMP DE'BAKEY-HESS ANG.20MM	I
BH031R	BULLDOGCLAMP DE'BAKEY-HESS ANG.30MM	I
BH032R	MICRO DIETHRICH BULLDOGCLAMP ANG.10/48MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*
 SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 2 von/of 18, Gültig ab/Valid since 2022-11-25
 GRA,hermdede

Konformitätserklärung *Declaration of Conformity*

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
BH034R	MICRO DIETRICH BULLDOGCLAMP ANG.13/48MM	I
FB328R	MINI-BULLDOGCLAMP STR.14/35MM	I
FB329R	MINI-BULLDOGCLAMP CVD.14/35MM	I
FB330R	MINI-BULLDOGCLAMP STR.19/45MM	I
FB331R	MINI-BULLDOGCLAMP CVD.19/45MM	I
FB352R	DE'BAKEY ATR.BULLDOGCLAMP STR.20/50MM	I
FB353R	DE'BAKEY ATR.BULLDOGCLAMP CVD.20/50MM	I
FB357R	DE'BAKEY-SATINSKY ATR.BULLDOGCL.21/75MM	I
FB358R	DE'BAKEY-SATINSKY ATR.BULLDOGCL.42/100MM	I
FB359R	DE'BAKEY ATR.BULLDOGCLAMP CVD.38/95MM	I
FB362R	MICRO ATR.BULLDOGCLAMP STR.10/50MM	I
FB363R	MICRO ATR.BULLDOGCLAMP ANG.10/45MM	I
FB364R	MICRO ATR.BULLDOGCLAMP STR.14/55MM	I
FB365R	MICRO ATR.BULLDOGCLAMP ANG.14/50MM	I
FB366R	MICRO ATR.BULLDOGCLAMP STR.20/60MM	I
FB367R	MICRO ATR.BULLDOGCLAMP ANG.20/55MM	I
FB369R	MICRO ATR.BULLDOGCLAMP CVD.20/60MM	I
FB370R	GLOVER ATR.BULLDOGCLAMP STR.25/50MM	I
FB374R	GLOVER ATR.BULLDOGCLAMP CVD.20/40MM	I
FB375R	GLOVER ATR.BULLDOGCLAMP CVD.30/60MM	I
FB376R	GLOVER ATR.BULLDOGCLAMP CVD.45/75MM	I
FB377R	GLOVER ATR.BULLDOGCLAMP CVD.55/120MM	I
FB382R	GREGORY SOFT ATR.BULLDOGCLAMP ANGL.FIG.C	I
FB383R	GREGORY SOFT ATR.BULLDOGCLAMP ANGL.FIG.D	I
FB384R	GREGORY SOFT ATR.BULLDOGCLAMP LEFT CVD.	I
FB385R	GREGORY SOFT ATR.BULLDOGCLAMP RIGHT CVD.	I
FB420R	DE'BAKEY ATR.BULLDOGCLAMP STR.25/80MM	I
FB421R	DE'BAKEY ATR.BULLDOGCLAMP CVD.25/80MM	I
FB422R	DE'BAKEY ATR.BULLDOGCLAMP STR.30/90MM	I
FB423R	DE'BAKEY ATR.BULLDOGCLAMP CVD.30/90MM	I
FB424R	DE'BAKEY ATR.BULLDOGCLAMP STR.45/105MM	I
FB425R	DE'BAKEY ATR.BULLDOGCLAMP CVD.45/105MM	I
FB426R	DE'BAKEY ATR.BULLDOGCLAMP STR.65/125MM	I
FB427R	DE'BAKEY ATR.BULLDOGCLAMP CVD.65/125MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 3 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung Declaration of Conformity

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
FB431R	GLOVER ATR.BULLDOGCLAMP ANG.20/52MM	I
FB432R	GLOVER ATR.BULLDOGCLAMP STR.25/68MM	I
FB433R	GLOVER ATR.BULLDOGCLAMP CVD.25/68MM	I
FB434R	GLOVER ATR.BULLDOGCLAMP STR.40/97MM	I
FB435R	GLOVER ATR.BULLDOGCLAMP CVD.40/97MM	I
FB436R	GLOVER ATR.BULLDOGCLAMP STR.60/116MM	I
FB437R	GLOVER ATR.BULLDOGCLAMP CVD.60/116MM	I
MB285R	MICRO DIETHRICH BULLDOGCLAMP STR.20/55MM	I
MB737R	COOLEY ATR.BULLDOGCLAMP STR.20/50MM	I
MB738R	COOLEY ATR.BULLDOGCLAMP STR.30/65MM	I
MB741R	DIETHRICH MICRO BULLDOGCLAMP STR.16/52MM	I

Zweckbestimmung <i>Intended Use</i>	Haemostatic and tissue clamps are used for grasping, holding and clamping of tissue, vessels, organs and medical materials
Basic-UDI-DI:	40392390000004722C

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
BH100R	CARREL ARTERY FORCEPS 85MM	I
BH104R	HARTMANN MOSQUITO FCSDCL STR 100MM	I
BH105R	HARTMANN MOSQUITO FCPSDEL CVD100MM	I
BH106R	JACOBSON MOSQUITO FCPSX-DEL STR.130MM	I
BH108R	MICRO-HALSTED FORCEPS DEL STR125MM	I
BH109R	MICRO-HALSTED FORCEPS DEL CVD 125MM	I
BH110R	HALSTED-MOSQUITO FORCEPS DELSTR125MM	I
BH111R	HALSTED-MOSQUITO FORCEPS DEL CVD125MM	I
BH114R	HARTMANN MOSQUITO FCPSDELSTR1X2100MM	I
BH115R	HARTMANN MOSQUITO FCPSDEL CVD1X2100MM	I
BH118R	MICRO-HALSTED FCPS DEL STR 1X2125MM	I
BH119R	MICRO-HALSTED FCPS DEL CVD 1X2125MM	I
BH120R	HALSTED-MOSQUITO FCPSDELSTR1X2125MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*
SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 4 von/of 18, Gültig ab/Valid since 2022-11-25
GRA,hermdede

Konformitätserklärung Declaration of Conformity

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
BH121R	HALSTED-MOSQUITO FCPS DELCVD1X2125MM	I
BH123R	DUNHILL ARTERY FORCEPS STR.125MM	I
BH124R	CAIRNS ARTERY FORCEPS STR.150MM	I
BH125R	CAIRNS ARTERY FORCEPS CVD.150MM	I
BH126R	CAIRNS FCPS CVD 150MM	I
BH127R	MOYNIHAN ARTERY FORCEPS CVD.150MM	I
BH130R	PROVIDENCE-HOSP FCPS DEL STR140MM	I
BH131R	PROVIDENCE-HOSP FCPS DEL CVD 140MM	I
BH134R	KELLY FORCEPS DEL STR 140MM	I
BH135R	KELLY FORCEPS DEL CVD 140MM	I
BH139R	DANDY DELICATE FORCEPS CVD140MM	I
BH140R	BABY CRILE FORCEPS DEL STR 140MM	I
BH141R	BABY CRILE FORCEPSDEL CVD140MM	I
BH143R	DANDY DEL FCPS LAT-CVD 1X2 140MM	I
BH144R	CRILE FORCEPS STR 140MM	I
BH145R	CRILE FORCEPS CVD 140MM	I
BH150R	BABY KOCHER FORCEPS STR.140MM	I
BH151R	KOCHER FORCEPS DEL CVD 1X2140MM	I
BH154R	CRILE FORCEPS DEL STR 1X2 140MM	I
BH155R	CRILE FORCEPS DEL CVD 1X2 140MM	I
BH160R	LERICHE DELICATE FORCEPS STR 150MM	I
BH161R	LERICHE DELICATE FORCEPS CVD 150MM	I
BH164R	RANKIN FCPS LONG KELLY DEL STR160MM	I
BH165R	RANKIN FCPS LONG KELLY DEL CVD160MM	I
BH166R	CRILE FORCEPS STR 160MM	I
BH167R	CRILE FORCEPS CVD 160MM	I
BH168R	DIXON LOVELACE STR.160MM	I
BH170R	LERICHE DELICATE FORCEPS STR 1X2150MM	I
BH171R	LERICHE DELICATE FORCEPS CVD1X2150MM	I
BH176R	CRILE FORCEPS STR 1X2160MM	I
BH177R	CRILE FORCEPS CVD 1X2 160MM	I
BH178R	DIXON-LOVELACE ARTERY FCPS.1X2T.STR.160	I
BH183R	ARTERIAL CLAMP FRASER-KELLY CUR.180MM	I
BH187R	JACOBSON HEMOST.FCPSX-DELSERRSLT 190MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / This document is valid without manual signature. It is signed via electronic signature process.

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 5 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung *Declaration of Conformity*

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
BH191R	DUNHILL ARTERIAL CLAMP CVD 190MM	I
BH193R	GREY-TURNER HEMOSTATIC FCPS 180MM	I
BH196R	BIRKETT ARTERY FORCEPS STR.185MM	I
BH197R	BIRKETT DELICATE FORCEPS CVD185MM	I
BH198R	FUCHSIG ARTERY FORCEPS CVD.190MM	I
BH199R	NISSEN DELICATE FORCEPS CVD 185MM	I
BH200R	ADSON DELICATE FORCEPS STR185MM	I
BH201R	ADSON DELICATE FORCEPS CVD 185MM	I
BH202R	HALSTED DELICATE FORCEPS STR 185MM	I
BH203R	HALSTED DELICATE FORCEPS CVD 185MM	I
BH205R	ADSON HEMOSTATIC FCPS CVD.215MM	I
BH206R	HEISS DELICATE FORCEPS STR 200MM	I
BH207R	HEISS DELICATE FORCEPS CVD 200MM	I
BH209R	HEISS DELICATE FORCEPS HVY-CVD 195MM	I
BH210R	HALSTED-MOSQUITO FORCEPS DELSTR200MM	I
BH211R	HALSTED-MOSQUITO FCPS DEL CVD 200MM	I
BH212R	HALSTED-MOSQUITO FCPSDELSTR1X2185MM	I
BH213R	HALSTED-MOSQUITO FCPSDELCVD1X2185MM	I
BH214R	HALSTED-MOSQ.FCPSDELSTR1X2 200MM	I
BH215R	HALSTED-MOSQ.FCPSDELCVD 1X2 200MM	I
BH216R	HEISS DELICATE FORCEPS STR 1X2 200MM	I
BH217R	HEISS DELICATE FORCEPS CVD 1X2 200MM	I
BH224R	SAROT DELICATE FORCEPS 240MM	I
BH225R	CRAFOORD DELICATE FORCEPS CVD 245MM	I
BH226R	SAROT ART FCPSSER CVD JAWS 250MM	I
BH227R	ARTERY FORCEPS CRAFOORD MODIF.240MM	I
BH228R	BENGOLEA DELICATE FORCEPS STR 245MM	I
BH229R	BENGOLEA DELICATE FORCEPS CVD 245MM	I
BH230R	BRIDGE DELICATE FORCEPS STR 275MM	I
BH231R	BRIDGE DELICATE FORCEPS CVD 275MM	I
BH234R	SAROT DELICATE FORCEPS STR 1X2240MM	I
BH238R	BENGOLEA DEL CV FCPS STR W/1X2245MM	I
BH239R	BENGOLEA DEL CV FCPS W/1X2 245MM	I
BH300R	KROENLEIN ARTERY FORCEPS STR.130MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 6 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung *Declaration of Conformity*

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
BH302R	PEAN ARTERY FORCEPS STR.125MM	I
BH304R	PEAN ARTERY FORCEPS STRAIGHT 140MM	I
BH316R	PEAN ARTERY FORCEPS STR.165MM	I
BH318R	PEAN ARTERY FORCEPS STR.185MM	I
BH332R	SPENCER-WELLS FORCEPS STR130MM	I
BH333R	SPENCER-WELLS FORCEPS CVD 130MM	I
BH334R	SPENCER-WELLS FORCEPS STR 150MM	I
BH335R	SPENCER-WELLS FORCEPS CVD150MM	I
BH336R	SPENCER-WELLS FORCEPS STR 175MM	I
BH337R	SPENCER-WELLS FORCEPS CVD 175MM	I
BH338R	SPENCER-WELLS FORCEPS STR 200MM	I
BH339R	SPENCER-WELLS FORCEPS CVD 200MM	I
BH361R	SPENCER-WELLS ARTERY FORCEPS CVD.230MM	I
BH410R	PEAN FORCEPS STR 125MM	I
BH412R	PEAN FORCEPS DEL STR 130MM	I
BH413R	PEAN FORCEPS DEL CVD 130MM	I
BH414R	PEAN FORCEPS DEL STR 140MM	I
BH415R	PEAN FORCEPS DEL CVD 140MM	I
BH422R	PEAN FORCEPS STR130MM	I
BH424R	PEAN FORCEPS STR 140MM	I
BH425R	PEAN FORCEPS CVD 140MM	I
BH442R	ROCHESTER-PEAN FORCEPS STR 160MM	I
BH443R	ROCHESTER-PEAN FORCEPS CVD 160MM	I
BH444R	ROCHESTER-PEAN FORCEPS STR 185MM	I
BH445R	ROCHESTER-PEAN FORCEPS CVD 185MM	I
BH446R	ROCHESTER-PEAN FORCEPS STR 200MM	I
BH447R	ROCHESTER-PEAN FORCEPS CVD 200MM	I
BH448R	ROCHESTER-PEAN FORCEPS STR 225MM	I
BH449R	ROCHESTER-PEAN FORCEPS CVD 225MM	I
BH450R	ROCHESTER-PEAN FORCEPS STR 240MM	I
BH451R	ROCHESTER-PEAN FORCEPS CVD240MM	I
BH456R	ROCHESTER-PEAN FORCEPS STR.350MM	I
BH457R	ROCHESTER-PEAN FORCEPS CVD.350MM	I
BH470R	PEAN FORCEPS STR240MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 7 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung *Declaration of Conformity*

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
BH471R	PEAN FORCEPS CVD 240MM	I
BH472R	PEAN FORCEPS STR 260MM	I
BH473R	PEAN FORCEPS CVD 260MM	I
BH474R	PEAN FORCEPS STR 280MM	I
BH475R	PEAN FORCEPS CVD280MM	I
BH610R	KOCHER ARTERY FORCEPS 1X2T.STR.145MM	I
BH612R	KOCHER DEL FCPS STR 1X2 130MM	I
BH614R	KOCHER FORCEPS STR 1X2 140MM	I
BH615R	KOCHER FORCEPS CVD 1X2140MM	I
BH618R	ROCHESTER-OCHSNER FCPS STR1X2140MM	I
BH619R	ROCHESTER-OCHSNER FCPS CVD1X2140MM	I
BH630R	KOCHER FORCEPS STR 1X2 150MM	I
BH631R	KOCHER FORCEPS CVD 1X2 150MM	I
BH642R	KOCHER-OCHSNER FORCEPS STR 1X2 160MM	I
BH643R	KOCHER-OCHSNER FORCEPS CVD 1X2 160MM	I
BH644R	KOCHER-OCHSNER FORCEPS STR 1X2 185MM	I
BH645R	KOCHER-OCHSNER FORCEPS CVD 1X2 185MM	I
BH646R	KOCHER-OCHSNER FORCEPS STR 1X2 200MM	I
BH647R	KOCHER-OCHSNER FORCEPS CVD 1X2 200MM	I
BH648R	KOCHER-OCHSNER FORCEPS STR 1X2 225MM	I
BH649R	KOCHER-OCHSNER FORCEPS CVD 1X2 225MM	I
BH650R	KOCHER-OCHSNER FORCEPS STR 1X2240MM	I
BH651R	KOCHER-OCHSNER FORCEPS CVD 1X2240.MM	I
BH652R	KOCHER-OCHSNER FORCEPS STR1X2260MM	I
BH653R	KOCHER-OCHSNER FORCEPS CVD1X2260MM	I
BH654R	OCHSNER FORCEPS STR 1X2280MM	I
BH655R	KOCHER-OCHSNER FORCEPS CVD 1X2280MM	I
BH800R	ROCHESTER-CARMALT FORCEPS STR160MM	I
BH801R	ROCHESTER-CARMALT FORCEPS CVD 160MM	I
BH804R	ROCHESTER-CARMALT FORCEPS STR 200MM	I
BH805R	ROCHESTER-CARMALT FORCEPS CVD 200MM	I
BH807R	CLAMP FICKLING ANG.SIDEW.180MM	I
BH808R	CLAMP FICKLING 1X2T.ANG.SIDEW.180MM	I
BH812R	ARTERY FORCEPS STRAIGHT 250MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 8 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung Declaration of Conformity

Artikelnummer Ref. Number	Bezeichnung Description	Risikoklasse Risk Class
BH813R	ARTERY FORCEPS CURVED 250MM	I
BH814R	ARTERY FORCEPS CURVED 225MM	I
BH831R	MOYNIHAN SPECIAL FORCEPS CVD 230MM	I
BH833R	MOYNIHAN SPECIAL FORCEPS CVD 240MM	I
BH835R	PEAN ARTERY FORCEPS JAW SPOON SHAP.195MM	I
BH837R	PEAN ARTERY FORCEPS JAW SPOON SHAP.220MM	I
BH839R	HAEMOSTATIC FORCEPS CURVED 230MM	I
BH949R	MIKULICZ ARTERY FORCEPS 1X2T.CVD.185MM	I
BH951R	NEGUS TONSIL FORCEPS HVY-CVD 190MM	I
BH952R	NEGUS TONSIL FORCEPSX-HVY-CVD190MM	I
BH957R	SCHNIDT TONSIL FORCEPS SLT-CVD185MM	I
BH959R	SCHNIDT TONSIL FORCEPS CVD 185MM	I
BH961R	SCHNIDT TONSIL FCPSOPEN-RINGCVD 185MM	I
BH963R	SCHNIDT TONSIL FCPSOPEN-RINGCVD185MM	I
BH965R	WILSON TONSIL FORCEPS 190MM	I
BJ008R	MICRO-ADSON SUTURE FORCEPS CVD 140MM	I
BJ009R	BABY OVERHOLT DISS.A.LIGAT.FORCEPS 135MM	I
BJ011R	BABY-MIXTER FORCEPS CVD 140MM	I
BJ012R	BABY-MIXTER FORCEPS HEAVY-CVD180MM	I
BJ013R	BABY-ADSON FORCEPS RT-ANG 140MM	I
BJ014R	BABY-ADSON FORCEPS RT-ANG 180MM	I
BJ015R	DISS.A.LIGAT.FORCEPS S-SHAPED CVD.185MM	I
BJ016R	DISS.A.LIGAT.FORCEPS S-SHAPED CVD.210MM	I
BJ017R	DISS.A.LIGAT.FORCEPS S-SHAPED CVD.215MM	I
BJ018R	DISS.A.LIGAT.FORCEPS S-SHAPED CVD.220MM	I
BJ019R	OVERHOLT MIXTER DISS.A.LIGAT.FCPS.205MM	I
BJ020R	OVERHOLT-GEISS SUTURE FCPS #0CVD195MM	I
BJ021R	OVERHOLT-GEISS SUTURE FCPS #1CVD205MM	I
BJ022R	OVERHOLT-GEISS SUTURE FCPS #2CVD220MM	I
BJ023R	OVERHOLT-GEISS SUTURE FCPS #3 CVD225MM	I
BJ024R	OVERHOLT-GEISS SUTURE FCPS #4CVD220MM	I
BJ025R	OVERHOLT-GEISS SUTURE FCPS #5CVD230MM	I
BJ026R	OVERHOLT-GEISS SUTURE FCPS #6 CVD225MM	I
BJ029R	DISSECTING CLAMP 90DEG DELICATE 280MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / This document is valid without manual signature. It is signed via electronic signature process.

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 9 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung *Declaration of Conformity*

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
BJ031R	OVERHOLT-GEISS SUTURE FCPS#1CVD260MM	I
BJ032R	OVERHOLT-GEISS SUTURE FCPS#2CVD270MM	I
BJ033R	OVERHOLT-GEISS SUTURE FCPS#3CVD275MM	I
BJ034R	OVERHOLT-GEISS SUTURE FCPS#4CVD270MM	I
BJ035R	OVERHOLT-GEISS SUTURE FCPS #5CVD280MM	I
BJ037R	FORCEPS CVD DELICATE 145MM	I
BJ038R	FORCEPS CVD.DELICATE 185MM	I
BJ039R	FORCEPS CVD.DELICATE 235MM	I
BJ041R	RUMEL SUTURE FORCEPS SLT-CVD 240MM	I
BJ042R	RUMEL SUTURE FORCEPS CVD 240MM	I
BJ043R	RUMEL SUTURE FORCEPS MED-CV 240MM	I
BJ044R	RUMEL SUTURE FORCEPS HVY-CV 240MM	I
BJ045R	RUMEL SUTURE FORCEPS RT-ANG# 5 240MM	I
BJ047R	ZENKER SUTURE FORCEPS SLT-CVD 300MM	I
BJ048R	ZENKER SUTURE FORCEPS HVY-CVD 290MM	I
BJ050R	MIXTER-O'SHAUGNESSY FORCEPS CVD190MM	I
BJ051R	WIKSTROEM SUTURE FORCEPS RT-ANG 205MM	I
BJ052R	FINOCHIETTO SUTURE FCPCVDW/HOLE245MM	I
BJ055R	MIXTER SUTURE FORCEPS RT-ANG 230MM	I
BJ057R	KANTROWITZ THORACIC CLAMP 200MM	I
BJ058R	KANTROWITZ THORACIC CLAMP 245MM	I
BJ059R	KANTROWITZ THORACIC CLAMP 275MM	I
BJ060R	LAHEY FORCEPS LONG-SERR 225MM	I
BJ061R	MIXTER FORCEPS LONG-SERR220MM	I
BJ062R	MIXTER FORCEPS LONG-SERR 250MM	I
BJ067R	O'SHAUGNESSY DISS.A.LIGAT.FORCEPS 220MM	I
BJ068R	LAHEY DISS.A.LIGAT.FORCEPS 230MM	I
BJ070R	LAWRENCE SUTURE FCPS DEL CVDD 270MM	I
BJ073R	MIXTER FORCEPS LONG-SERR 290MM	I
BJ075R	KIEBACK SUTURE FORCEPS 235MM	I
BJ076R	KIEBACK SUTURE FORCEPS 300MM	I
BJ080R	OVERHOLT FORCEPS # 0 CVD215MM	I
BJ081R	OVERHOLT FORCEPS # 1 CVD210MM	I
BJ082R	OVERHOLT FORCEPS # 2 CVD 220MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 10 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung *Declaration of Conformity*

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
BJ083R	OVERHOLT FORCEPS # 3 CVD 225MM	I
BJ086R	OVERHOLT FORCEPS # 6 CVD 225MM	I
BJ090R	OVERHOLT FORCEPS # 0 CVD 295MM	I
BJ091R	OVERHOLT FORCEPS # 1 CVD 295MM	I
BJ096R	OVERHOLT FORCEPS # 6 CVD 300MM	I
BJ100R	GEMINI CLAMP RT-ANG140MM	I
BJ102R	GEMINI CLAMP RT-ANG 180MM	I
BJ103R	GEMINI CLAMP RT-ANG200MM	I
BJ104R	GEMINI CLAMP RT-ANG 230MM	I
BJ106R	GEMINI CLAMP RT-ANG 280MM	I
BJ110R	DISSECTING CLAMP 90DEG 280MM	I
BJ111R	OVERHOLT DISS.&LIGAT.CLAMP260MM FINE#1	I
BJ114R	OVERHOLT DISS.A.LIGAT.CLAMP 270MM #4	I
BJ120R	O'SHAUGNESSY DISS.A.LIGAT.FORCEPS 160MM	I
BJ121R	O'SHAUGNESSY DISS.A.LIGAT.FORCEPS 180MM	I
BJ122R	O'SHAUGNESSY DISS.A.LIGAT.FORCEPS 200MM	I
BJ123R	O'SHAUGNESSY DISS.A.LIGAT.FORCEPS 220MM	I
BJ124R	O'SHAUGNESSY DISS.A.LIGAT.FORCEPS 245MM	I
BJ130R	ZENKER DISS & LIG FCPSSLT-CVD 350MM	I
BJ131R	ZENKER DISS & LIG FCPS CVD 350MM	I
BJ132R	ZENKER DISS & LIG FCPSHVY-CVD 350MM	I
BJ300R	MIKULICZ PERITONEUM FORCEPS CVD.140MM	I
BJ304R	MIKULICZ PERITONEUM FORCEPS CVD.185MM	I
BJ305R	MIKULICZ PERITONEUM FORCEPS CVD.180MM	I
BJ306R	MIKULICZ PERITONEUM FORCEPS CVD.205MM	I
BJ308R	MIKULICZ PERITONEUM FORCEPS CVD.205MM	I
BJ309R	MIKULICZ PERITONEUM FORCEPS CVD.205MM	I
BJ310R	MIKULICZ PERITONEUM FORCEPS CVD.200MM	I
BJ312R	MIKULICZ PERITONEUM FORCEPS CVD.245MM	I
BJ313R	MIKULICZ PERITONEUM FORCEPS CVD.205MM	I
BJ314R	MIKULICZ PERITONEUM FORCEPS CVD.200MM	I
BJ315R	MIKULICZ PERITONEUM FORCEPS CVD.185MM	I
BJ325R	FAURE PERITONEUM FORCEPS CVD.205MM	I
BJ326R	FAURE PERITONEUM FORCEPSSTRNG CVD 205MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 11 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung *Declaration of Conformity*

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
BJ500R	PHANEUF HYSTERECTOMY FORCEPS STR 210MM	I
BJ501R	PHANEUF HYSTERECTOMY FORCEPS ANG 205MM	I
BJ506R	WERTHEIM HYSTERECTOMY FORCEPS CVD.235MM	I
BJ507R	WERTHEIM HYSTERECTOMY FORCEPS CVD.235MM	I
BJ509R	WERTHEIM HYSTERECTOMY FORCEPS CVD.245MM	I
BJ510R	HOLZBACH HYST FORCEPS STR 245MM	I
BJ511R	HOLZBACH HYST FORCEPS CVD245MM	I
BJ515R	WERTHEIM HYSTERECTOMY FORCEPS 350MM	I
BJ517R	MAINGOT HYSTERECTOMY CLAMPS 210MM	I
BJ519R	MAINGOT HYSTERECTOMY CLAMPS 250MM	I
BJ520R	HEANEY HYST FORCEPS GROOVED 205MM	I
BJ521R	HEANEY HYST FORCEPS GROOVED 250MM	I
BJ522R	HEANEY HYST FORCEPS GROOVED195MM	I
BJ524R	HEANEY-REZEK FCPSSTR SER LGTH 210MM	I
BJ527R	WIENER HYST FORCEPS GROOVES 240MM	I
BJ530R	HEANEY HYSTERECTOMY FORCEPS STR 225MM	I
BJ531R	HEANEY HYSTERECTOMY FORCEPS CVD220MM	I
BJ532R	HEANEY HYSTERECTOMY FORCEPS CVD215MM	I
BJ534R	HYSTERECTOMY FOR.GWILLIAMSSSTR.205MM	I
BJ535R	HYSTERECTOMY FOR.GWILLIAMSCUR.205MM	I
BJ536R	MAINGOT HYSTERECTOMY FORCEPS STR.210MM	I
BJ537R	BERKELEY-BONNEY HYSTERECTOMY FCPS.205MM	I
BJ540R	SEGOND-LANDAU FCPSW/SCRWSTRSRR240MM	I
BJ541R	SEGOND FORCEPS W/SCREW CVDSERR240MM	I
BJ550R	WERTHEIM PARAMETRIUM CLAMP STR 250MM	I
BJ551R	WERTHEIM PARAMETRIUM CLAMP CVD 245MM	I
BJ552R	WERTHEIM PARAMETRIUM CLAMP CVD240MM	I
BJ553R	WERTHEIM PARAMETRIUM CLAMPHVY-CVD220MM	I
BJ560R	KIEBACK HYSTERECTOMY FORCEPS 250MM	I
BJ561R	KIEBACK HYSTERECTOMY FORCEPS250MM	I
BJ574R	WERTHEIM HYST FCPSLFT-CVDSERR 255MM	I
BJ576R	WERTHEIM PARAMETRIUM CLMP CVD 260MM	I
BJ579R	WERTHEIM-CULLEN CLAMP GROOVED215MM	I
BJ581R	WERTHEIM CLAMP 250MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 12 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung *Declaration of Conformity*

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
EA106R	BAINBRIDGE INTESTINAL FORCEPS STR155MM	I
EA107R	BAINBRIDGE INTESTINAL FORCEPSCVD155MM	I
EA114R	ALLEN INTESTINAL FORCEPS 155MM	I
EA116R	BABY-KOCHER INTESTINAL FORCEPSSTR135MM	I
EA117R	BABY-KOCHER INTESTINAL FORCEPSCVD135MM	I
EA120R	DOYEN INTESTINAL FORCEPS STR165MM	I
EA121R	DOYEN INTESTINAL FORCEPS CVD165MM	I
EA124R	HARTMANN INTESTINAL FORCEPS STR200MM	I
EA125R	HARTMANN INTESTINAL FORCEPS CVD200MM	I
EA126R	DOYEN INTESTINAL FORCEPS STR235MM	I
EA127R	DOYEN INTESTINAL FORCEPS CVD 235MM	I
EA130R	DOYEN INTESTINAL FORCEPS STR240MM	I
EA131R	DOYEN INTESTINAL FORCEPS CVD240MM	I
EA132R	LANG STEVENSON INTESTINAL CLAMP 215MM	I
EA140R	KOCHER INTESTINAL FORCEPS STR210MM	I
EA141R	KOCHER INTESTINAL FORCEPS CVD210MM	I
EA145R	KOCHER INTESTINAL FORCEPS STR230MM	I
EA146R	KOCHER INTESTINAL FORCEPS CVD230MM	I
EA150R	KOCHER INTESTINAL FORCEPS STR220MM	I
EA151R	KOCHER INTESTINAL FORCEPS STR250MM	I
EA152R	KOCHER INTESTINAL FORCEPS STR 280MM	I
EA155R	KOCHER INTESTINAL FORCEPS CVD 220MM	I
EA156R	KOCHER INTESTINAL FORCEPS CVD 250MM	I
EA157R	KOCHER INTESTINAL FORCEPS CURVED 280MM	I
EA170R	MAYO-ROBSON INTESTINAL FORCEPSSTR250MM	I
EA171R	MAYO-ROBSON INTESTINAL FRCPS CVD250MM	I
EA182R	MOYNIHAN INTEST.CLAMP FENESTR.BL.STR.280	I
EA191R	BRUNNER INTEST.CLAMP BAYON.SH.CVD.245MM	I
EA202R	KOCHER ATR.FORCEPS STR 220MM	I
EA203R	KOCHER ATR.FORCEPS CVD 220MM	I
EA204R	KOCHER ATR.FORCEPS STR 250MM	I
EA205R	KOCHER ATR.FORCEPS CVD 250MM	I
EA206R	KOCHER ATR.FORCEPS STR 280MM	I
EA207R	KOCHER ATR.FORCEPS CVD 280MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 13 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung *Declaration of Conformity*

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
EA210R	HARTMANN ATR.FORCEPS STR200MM	I
EA211R	HARTMANN ATR.FORCEPS CVD200MM	I
EA212R	DOYEN ATR.FORCEPS STR230MM	I
EA213R	DOYEN ATR.FORCEPS CVD230MM	I
EA216R	MAYO-ROBSON ATR.FRCPS STR250MM	I
EA217R	MAYO-ROBSON ATR.FRCPCVD250MM	I
EA220R	BABY-KOCHER ATR.INTEST.CLAMP STR.135MM	I
EA221R	BABY-KOCHER ATR.INTEST.CLAMP CVD.135MM	I
EA222R	DOYEN ATR.FORCEPS STR170MM	I
EA223R	DOYEN ATR.FORCEPS CVD170MM	I
EA240R	SCUDDER ATR.FORCEPS STR330MM	I
EA321R	SCHOEMAKER COLECTOMY CLAMP 220MM	I
EA355R	KERSTING SIGMOID ANASTOMOSIS FCPS 275MM	I
EA356R	MULLER RECTUM ANASTOMOSIS CLAMP 375MM	I
EA360R	RESANO ATR.FORCEPS265MM	I
EA362R	LLOYD-DAVIS COLON FORCEPS 315MM	I
EA365R	PARKER-KERR FORCEPS 250MM	I
EA397R	KLEINSCHMIDT APPENDECTOMY CLAMP 130MM	I
EA440R	LANE GASTRO INTEST.TWIN CLAMP STR.300MM	I
EB001R	LOWER GALL DUCT FORCEPS180MM	I
EB003R	LAHEY/SWEET GALL DUCT FORCEPS 200MM	I
EB008R	DESJARDINS FORCEPS210MM	I
EB009R	NISSEN GALL DUCT FORCEPS 215MM	I
EB011R	GRAY CYSTIC-DUCT FCPS SHORT-CVD 220MM	I
EB012R	GRAY CYSTIC-DUCT FCPS LNG-CVD 220MM	I
EF001R	GUYON ATR.KIDNEY CLAMP 240MM	I
EF002R	GUYON ATR.KIDNEY CLAMP230MM	I
EF003R	GUYON ATR.KIDNEY PED.CLAMP 230MM	I
EF010R	GUYON KIDNEY CLAMP 240MM	I
EF011R	GUYON KIDNEY CLAMP 230MM	I
EF012R	GUYON KIDNEY CLAMP 280MM	I
EF015R	STILLE KIDNEY CLAMP 240MM	I
EF016R	STILLE KIDNEY CLAMP 220MM	I
EF030R	HERRICK KIDNEY CLAMP225MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 14 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung *Declaration of Conformity*

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
EF070R	ATR. URETER FORCEPS 240MM	I
EF167R	VEIN CLAMP 10° 210MM	I
FB440R	DE'BAKEY ATR. MOSQUITO FCPS STR 125MM	I
FB441R	DE'BAKEY ATR. MOSQUITO FCPS CVD 125MM	I
FB442R	DE'BAKEY ATR. MOSQUITO FCPS STR 165MM	I
FB443R	DE'BAKEY ATR. MOSQUITO FCPS CVD 165MM	I
FB444R	PEAN-DE'BAKEY ATR. FRCPS STR 155MM	I
FB446R	DE'BAKEY-BAINBRIDGE ATR. FCPS STR 155MM	I
FB447R	DE'BAKEY-BAINBRIDGE ATR. FCPS CVD 155MM	I
FB448R	DE'BAKEY-BAINBRIDGE ATR. FCPS STR 180MM	I
FB458R	GLOVER ATR. CLAMP CVD 215MM	I
FB459R	GLOVER ATR. CLAMP CVD 245MM	I
FB461R	GLOVER ATR. CLAMP 195MM	I
FB462R	GLOVER ATR. CLAMP 210MM	I
FB469R	LELAND-JONES PERIPHERAL CLMPSTR 195MM	I
FB483R	DE'BAKEY SUTURE FORCEPS 240MM	I
FB486R	DE'BAKEY-RUMEL SUTURE FORCEPS CVD 245MM	I
FB487R	DE'BAKEY-RUMEL SUTURE FCPS CVD 245MM	I
FB496R	DE'BAKEY-MC'QUIGG-MIXTER ATR. FCPS. 210MM	I
FB497R	DE'BAKEY-MIXTER ATR. DISS./LIGAT. FORCEPS	I
FB498R	DE'BAKEY ATR. DISS./LIGAT. FORCEPS 210MM	I
FB499R	DE'BAKEY ATR. DISS./LIGAT. FORCEPS 230MM	I
FB510R	DE'BAKEY CLAMP 60DG 40/93MM 235MM	I
FB511R	DE'BAKEY CLAMP 60DG 55/85MM 220MM	I
FB512R	DE'BAKEY CLAMP 60DG 65/100MM 275MM	I
FB515R	DE'BAKEY CLAMP 90DG 45/93MM 210MM	I
FB516R	DE'BAKEY CLAMP 90DG 55/85MM 195MM	I
FB517R	DE'BAKEY CLAMP 90DG 72/92MM 230MM	I
FB518R	DE'BAKEY CLAMP 90DG 108/134MM 235MM	I
FB526R	DE'BAKEY-PEAN ATR. FRCPS STR. 60MM 200MM	I
FB527R	DE'BAKEY-PEAN ATR. FRCPS CVD 60MM 200MM	I
FB528R	HOPT ATR. CLAMP 40MM JAW 9	I
FB529R	HOPT ATR. PANKREAS A. KIDNEY FCPS. 50/200MM	I
FB530R	HOPT ATR. PANKREAS A. KIDNEY FCPS. 60/200MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 15 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung Declaration of Conformity

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
FB532R	DE'BAKEY-PEAN ATR.FCPS STR89MM265MM	I
FB533R	DE'BAKEY-PEAN ATR.FCPS CVD89MM260MM	I
FB534R	DE'BAKEY-PEAN ATR.FCPS STR 99MM 280MM	I
FB540R	DE'BAKEY BULLDOG CLMPRING-HDLSTR130MM	I
FB541R	DE'BAKEY BULLDOG CLMPRING-HDLCVD125MM	I
FB542R	DE'BAKEY BULLDG CLMPRING-HDLS-CVD125MM	I
FB544R	DE'BAKEY BULLDOG CLAMPRING-HDL90°105MM	I
FB546R	DALE ATR.CLAMP SPOON SIZE SMALL 175MM	I
FB547R	DALE ATR.CLAMP SPOON SIZE MEDIUM 180MM	I
FB548R	DALE ATR.CLAMP SPOON SIZE LARGE 180MM	I
FB549R	DALE ATR.CLAMP 180MM	I
FB563R	COOLEY PEDIATRIC FORCEPS 24MM160MM	I
FB567R	COOLEY PEDIATRIC CLAMP 30DG30/165MM	I
FB568R	COOLEY PEDIATRIC CLAMP 60DG 30/160MM	I
FB569R	COOLEY PEDIATRIC CLAMP 90DG30/150MM	I
FB570R	COOLEY PEDIATRIC FORCEPS 90MM200MM	I
FB573R	LEES ATR.BRONCHUS CLMP90DG220MM	I
FB574R	LEES ATR.BRONCHUS CLMP95MM245MM	I
FB581R	CASTANEDA NEONATAL CLAMP 30DG48/120MM	I
FB582R	CASTANEDA NEONATAL CLAMP 45DG48120MM	I
FB590R	CASTANEDA NEONATAL CLAMPCVD15MM155MM	I
FB592R	CASTANEDA NEONATAL CLAMPCVD23MM155MM	I
FB593R	CASTANEDA NEONATAL CLAMPCVD25MM155MM	I
FB600R	BABY-SATINSKY CLAMP150MM	I
FB602R	SATINSKY CLAMP265MM	I
FB604R	SATINSKY CLAMP HVY-CVD SM265MM	I
FB605R	SATINSKY CLAMP HVY-CVD LRG 265MM	I
FB617R	HENLY ATR.SUBCLAVIAN CLAMP 200MM	I
FB618R	LEMOLE STRONG ATR.CLAMP 40X15MM	I
FB672R	WYLIE ATR.CLAMP SHANKS CVD.UP 160MM	I
FB673R	WYLIE ATR.CLAMP SHANKS CVD.UP 180MM	I
FB729R	COOLEY PEDIATRIC CLAMP 17MM 170MM	I
FB730R	COOLEY PEDIATRIC CLAMP 20MM175MM	I
FB736R	COOLEY PEDIATRIC CLAMP 74MM 185MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / This document is valid without manual signature. It is signed via electronic signature process.

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 16 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung Declaration of Conformity

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
FB737R	COOLEY PEDIATRIC CLAMP 86MM 195MM	I
FB738R	COOLEY PEDIATRIC CLAMP 108MM 260MM	I
FB741R	COOLEY ATR.FORCEPS 140MM CVD.	I
FB742R	COOLEY ATR.FORCEPS 140MM	I
FB773R	COOLEY ATR.CLAMP58MM JAW260MM	I
FB776R	COOLEY ATR.CLAMP31MM JAW200MM	I
FB777R	COOLEY ATR.CLMP 44MM JAW255MM	I
FB778R	COOLEY ATR.CLMP 50MMJAW255MM	I
FB779R	COOLEY ATR.CLMP 63MMJAW255MM	I
FB780R	COOLEY ATR.CLMP 78MM JAW260MM	I
FB795R	LEITZ ATR.CLAMP43MM JAW 190MM	I
FB950R	PRICE THOMAS BRONCHUS CLAMP225MM	I
FB954R	BRONCHUS FORCEPS 60MM 230MM	I
FB955R	BRONCHUS FORCEPS 80MM230MM	I
FB956R	VASCULAR CLAMP ATR.DICK 255MM	I
FB957R	VASCULAR CLAMP ATR.DICK 265MM	I
FB958R	VASCULAR CLAMP ATR.DICK 275MM	I
FB961R	SEMB SUTURE FORCEPS HVY-CVD 240MM	I
FC300R	ATR.FORCEPS JAW 30MM STR.	I
FC301R	ATR.FORCEPS JAW 30MM ANGL.15°	I
FC302R	ATR.FORCEPS JAW 30MM ANGL.30°	I
FC303R	ATR.FORCEPS JAW 30MM ANGL.45°	I
FC304R	ATR.FORCEPS JAW 30MM ANGL.90°	I
FC310R	MULTI-PURPOSE CLAMP 50MM STR	I
FC311R	ATR.FORCEPS JAW 50MM ANGL.15°	I
FC312R	ATR.FORCEPS JAW 50MM ANGL.30°	I
FC313R	ATR.FORCEPS JAW 50MM ANGL.45°	I
FC314R	ATR.FORCEPS JAW 50MM ANGL.90°	I
FF010R	DEMARTEL SCALP FLAP FCPSSLT-CVD135MM	I
FF011R	DEMARTEL SCALP FLAP FCPS SLT-CVD185MM	I
MB229R	JACOBSON MOSQUITO FCPSX-DEL CVD.130MM	I
MB240	WYLIE ATR.CLAMP CVD.75/250MM	I
MB241	WYLIE ATR.CLAMP CVD.70/215MM	I
MB613R	COOLEY ATR.CLMP JAW LGTH 21MM L:140MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / This document is valid without manual signature. It is signed via electronic signature process.

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 17 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Konformitätserklärung *Declaration of Conformity*

Artikelnummer <i>Ref. Number</i>	Bezeichnung <i>Description</i>	Risikoklasse <i>Risk Class</i>
MB750R	GREGORY ATR.PROFUNDA CLAMP SMALL 150MM	I
MB751R	GREGORY ATR.PROFUNDA CLAMP MEDIUM 180MM	I
MB752R	GREGORY ATR.PROFUNDA CLAMP LARGE 195MM	I
MD464	COLLER ARTERY FORCEPS STR 145MM	I
MD465R	COLLER ARTERY FORCEPS CVD.145MM	I
MD466R	COLLER ARTERY FORCEPS STR 160MM	I
MD467R	COLLER ARTERY FORCEPS CVD.160MM	I
MD468	COLLER ARTERY FORCEPS STR.180MM	I
MD469	COLLER ARTERY FORCEPS CVD.180MM	I
MD569	RIGHT ANGLE CLAMP140MM	I
MD570R	RIGHT ANGLE CLAMP180MM	I
MD591	HEANY BALLENTINE HYST FCPS STR.215MM	I
MD592	HEANY BALLENTINE HYST FCPS CVD.215MM	I
XJ151R	HAEMOSTATIC FORCEPS STR.NO TEETH 145	I
XJ152R	HAEMOSTATIC FORCEPS CURVED NO TEETH 1	I
XJ153R	HAEMOSTATIC FORCEPS STR.1X2 TEETH 145MM	I
XJ154R	HAEMOST.FORCEPS CURVED 1X2 TEETH 145	I
XJ155R	HAEMOSTATIC FORCEPS LIGHTLY CVD.190MM	I
XJ158R	HAEMOSTATIC FORCEPS LIGHTLY CVD.220MM	I
XJ160R	HAEMOSTATIC FORCEPS STRONGLY CVD.220MM	I

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-H-EN Version 12.0, Seite/Page 18 von/of 18, Gültig ab/Valid since 2022-11-25

GRA,hermdede

Effective

Title: Clamps KI-Ir_DoC.docx Initiator: Yumemi ? Brunschoen

This document is signed electronically in compliance with the B. Braun electronic signature policies and procedures by following persons:

UserName: Brunschoen, Yumemi (shidyude)
Title: Regulatory Affairs
Date: Thursday, 06 April 2023, 09:20 W. Europe Daylight Time
Meaning: Document signed as Author

UserName: Schaeuble, Martin (schamnde)
Title: Vice President R&D Abdominal & Cardio-Thoracic Surgery
Date: Thursday, 06 April 2023, 15:59 W. Europe Daylight Time
Meaning: Approve Document

UserName: Welke, Matthias (welkmade)
Title: Director Regulatory Affairs
Date: Tuesday, 11 April 2023, 16:41 W. Europe Daylight Time
Meaning: Approve Document
